



PROUDLY PRODUCED IN SWEDEN





History

Spuhr i Dalby AB was founded by Håkan Spuhr in 2007 after a successful career working as a gunsmith. Prior to founding his own company, Håkan had designed the Aimpoint TwistMount and the MPS mount. As word spread about the gunsmith with the extraordinary technical solutions, Håkan's assistance was requested by military units – and one thing lead to another...

Today the company works closely with armed forces and manufacturers around the world. Some of our products are the results of military requirements for new solutions, while other products, such as the Ideal Scope Mounts System (ISMS™), are the results of our own shooting and hunting experience.

For maximum precision and quality, we produce 99% of our products in-house in our own factory in Löddeköpinge, Sweden.



What we do

Our mission is to produce innovative solutions containing a minimum of parts.

Our ISMS™ scope mounts are perfect examples of our innovative designs. For more than a hundred years scope mounts have looked basically the same – with the same limitations – regardless of the manufacturer. That is, until our ISMS™ came on the market in 2010.

We have taken the scope mount from just being a way of attaching the scope to a firearm, to a platform for mounting accessories, such as back-up sights, night vision, lasers, and cosine indicators to a firearm and aligning them with the primary optics.

Another good example of our innovative products is our 40 mm Grenade Launcher Sight Mounts. Where most grenade launcher sights have the readings on the side, preventing the soldier from reading the distance settings while aiming, we have made a sight mount where the soldier can see and adjust the range setting while still in the shooting position.




Our Weapon Upgrade Kits provide dependable workhorses, such as the HK G3 and MP5, with a new lease on life with improved ergonomics and modularity.

In 2023 we introduced a chassis system that is superior when it comes to adjustability, modularity and stability.

Spuhr i Dalby AB is the obvious and natural companion for any military, law enforcement, or industry partner with advanced technological production requirements.





THE SPUHR INTERFACE™

No chain is stronger than its weakest link. The Spuhr Interface™ is a lightweight highly repeatable interface solution that enables the user to mount accessories rattle-free with perfect fit.

Instead of fitting our products with yards of Picatinny rails, adding a lot of material and undesired weight, while making them less comfortable to hold onto, we decided to make a small interface that has no weight – in fact, it has a negative weight as we remove material to create the interface.

The interface consists of a female part consisting of two M4-threaded holes with dual conical surfaces and a male part with corresponding conical surfaces that mate into the female part. These conical surfaces will hold the two items very securely with excellent repeatability. The male and female parts are secured together using M4 screws.

As opposed to other alternative interface systems, the Spuhr Interface™ does not require any space on the back of the attachment surface to lock onto, as is needed with KeyMod and M-LOK. This means that the Spuhr Interface can also be used for applications such as on our ISMS™ scope mounts or on the side of a magwell – and not only for use on handguards.

We manufacture a broad range of accessories for the Spuhr Interface™, such as Picatinny rails, direct mounts for various red dot sights, such as Aimpoint Micro, Trijicon RMR, Docter, and Delta Point, and other special items. The direct mount has the advantage of being stronger and sturdier than if using a Picatinny in between the two. It also has a lower profile and tighter mounting, and most importantly – a lower weight.





SPUHR UPGRADES

Background

As new threats appear requirements, tactics, and equipment needs shift. As a result, old workhorses fall in disuse or disrepute as new platforms and calibers gain popularity. This does not mean that the older systems do not have their place or cannot be brought up to modern standards.

Economic aspects & Logistic benefits

Transitioning to a new weapon platform includes just not the cost of purchase for the firearms but also brings with it the logistical costs of replacing the spare parts inventory – and in some cases the ammunition – on every level of the organization, and retraining soldiers and armorers on a new firearm. Upgrading a proven and already existing platform is a much more cost-effective solution for organizations that have limited funds.

What we offer

Our upgrade kits began with an improved top rail, forend, and magazine well for the HK G36 for use by special operations, which was followed by upgrades for the HK417, MP5, and G3. Today our upgrade kits are in use by many European law enforcement and military units.



R-402 G3 Top Rail

NSN 1005-22-630-0398

The R-402 G3 Top Rail allows the user to attach optics to the G3 battle rifle. As with our G36 and HK417 forends, the rail has a smooth design for ease of handling and higher repeatability.



Stockdesign

The main disadvantage of the G3 Rifle is the stock design tailored for the low iron sights. Due to the design with the long receiver the low ironsight forced the stock to have a "hump" just behind the action. This "hump" is also known as the "cheek bone crusher" for reasons that become painfully obvious to most.

R-410 G3 Stock Assembly

NSN 1005-22-630-0393 (Short Buffer)
NSN 1005-22-630-0394 (Heavy Buffer)

The R-410 G3 Stock Assembly will allow the user to assume an aggressive shooting stance with less felt recoil and greater controllability of the powerful G3 battle rifle. The integrated cheek piece allows for a comfortable head position when using optics. The R-410 also fits onto HK55 carbines.



HK G3 UPGRADES

The HK G3 is one of the western world's great battle rifles, and it has proven itself to be very reliable and very accurate. The main drawback of the G3 is its lengthy stock, designed for use with iron sights, which makes the rifle difficult to use with modern shooting techniques developed around the use of body armor and maximized recoil control.

When the Swedish Armed Forces decided to upgrade their AK 4B – a domestically produced G3 – with an adjustable stock and a modular handguard, as a stopgap solution awaiting procurement of a carbine, Spuhr won the contract.

The Swedish AK 4C and AK 4D (DMR) proved to be a cost-effective solution giving the G3 vastly improved ergonomics and much needed modularity.

In 2019, when the Portuguese Marines needed to upgrade their G3 rifles, they too chose Spuhr after finding our products to be the only rugged enough to withstand their testing.

Our G3 upgrades consist of the R-401, a modular handguard made from 7000-series aluminum with the same weight as the factory handguard, the R-402, a Picatinny Gen2 top rail with a cummerbund securing the front of the rail to the receiver, and the R-410, a 6-position synthetic stock, which allows the user to adjust the stock length for proper length-of-pull depending on clothing, gear, and shooting position.



R-401 G3 Forend

NSN 1005-22-630-0397

We made a new forend that have allmost the same outline as the original with the same weight as the HK plastic forend (190 gram/6,7oz). It is very well ventilated so the barrel cools quickly.

The R-401 G3 Forend is made from high grade aluminum with Spuhr Interfaces along the length of the body, allowing the user to attach various accessories without adding any unnecessary weight or sharp edges, as is common with Picatinny handguards.

The forend is also very comfortable and gives the advantage of allowing the shooter to grab around the forend with a modern grip to manage the recoil. We can also provide a NV rail for night capability.



HK MP5/HK53 UPGRADES

The HK roller delayed series of firearms all suffers from far too long stocks. This is especially apparent when it comes to short users and the use of body armor.

To make the situation better we have made a new stock for those guns.

It's a 6-position stock assembly with replaceable cheek pieces allowing for different sight solutions.

The new stock will make it possible to adjust the length from 180-260 mm / 7.09"-10.24" and also raise the cheek piece and butt plate around 20 mm (0,8").

That way the LOP (Length of Pull) can be adjusted to the current clothing or the current user of the gun. It will make the gun more controllable as the stock is more optimized after the user.

R-301 MP5 Forend NSN 1005-22-630-0395

The R-301 MP5 Forend is a lightweight modular forend, which follows the same general design as our G3 forend. The R-301 also fit the HK53.

R-302 MP5 Top Rail NSN 1005-22-630-0396

The R-302 MP5 Top Rail allows the user to attach optics to the MP5. As with our G36 and HK417 forends, the rail has a smooth design for ease of handling and higher repeatability.

We also have some different top rails, both with direct-mount for Aimpoint Micro and with ordinary picatinny rail.

Please ask your point of contact for more information.





HK417 / MR308A1 UPGRADES

HK designed the HK417 to be a more rigid and reliable piston-driven version of the AR platform but with the improvements came added weight and proprietary magazines. We were tasked by a unit with making the HK417 lighter and to accept SR25-pattern magazines. *

** Due to different geometry of the SR25-pattern magazines, our HK417 receivers will require modification to the upper receiver for proper function.*

R-200 HK417 Full-Auto / R-200S HK417 Semi-Auto Lower

Our solution was to redesign the lower receiver and the handguard. We designed two lower receivers; the select-fire R-200 and the semi-auto R-200S, both of which feature ambidextrous controls, shielded magazine release buttons, non-rotating pins, and Spuhr Interfaces™ on the sides of the magwell.



Spuhr® forends

We also designed two light-weight handguards with a 25%-33% weight reduction compared to the originals; the R-210 for 20" barrels and the R-211 for 16" barrels. The handguards feature Spuhr Interfaces™ on the sides and Picatinny Gen2 rails along the top and bottoms, with provisions for mounting an underslung HK GLM.

R-211 HK417 Short Forend 9.5"

The R-211 Short Forend is, like the R-210 Long Forend, a lightweight modular alternative to the factory Picatinny forend. As with the R-22 G36 Forend, the R-211 also has a smooth Picatinny rail designed for attaching an HK GLM.

R-210 HK417 Long Forend 11.5"

The R-210 Long Forend is a lightweight modular alternative to the factory Picatinny forend, featuring our own smooth Picatinny rail on top and bottom.



Enhanced Lower



Light weight slim forend



HK G36 / SL8 UPGRADES

Our first upgrade kit was for the G36C, where we were tasked by a unit to reduce the weight, improve the iron sights and the ergonomics, and to make it compatible with “STANAG-pattern” magazines.

R-1 G36 Top Rail

We developed a new Picatinny Gen2 top rail – the R-1 – with a lower overall height (200 gram), integrated adjustable back-up iron sights, and a lowered section for using a night vision monocular behind a red dot sight. The sights are fitted with tritium inserts.

For those who prefer a full length rail without the lowered portion, there is a Picatinny spacer included (see picture below).

Please note that the Picatinny rail is heavily dehorned to prevent burrs etc. after heavy use. Also a way of saving the hands and fingers of the users.

Accessories, such as the Oerlikon LLM laser can be mounted on the top rail, rather than on the forend as to ensure that the point of aim will remain true even as the forend flexes and moves.

R-8 G36 Mag Conversion Kit

We also developed the R-8 ambidextrous magwell assembly with an extended bolt stop, allowing the use of standard “STANAG-pattern” M4/M16 magazines, and with a hidden storage compartment for a CR2032 or CR1/3N battery.

R-22 G36C Forend

We also developed the lightweight R-22 handguard, featuring a slimmer profile with Spuhr Interfaces™ along the top and sides, and a Picatinny Gen2 rail along the bottom, for mounting an underslung HK GLM.

We can also offer the R-23 forend for G36K and the R-24 for full-length G36E carbines.

With our interface system the user gets a flexible lightweight system with only advantages. The rest of the equipment is heavy enough.



Low profile Top rail with High visibility back-up iron sights



Ambidextrous M16 magazine conversion



Lightweight & Adaptable forend

GRENADE LAUNCHER SIGHT MOUNT

Patented

Our GR-series of Grenade Launcher Sight Mounts was designed to increase the first hit capability of 40mm launchers – and in combination with NVGs and a Red Dot Sight with night vision settings – the GR-series turns the 40mm launcher into a 24-hour capable system.

As there are many different launchers and munitions on the market, the ballistic bow – the heart of the GLSM – is manufactured to match the exterior ballistics of the customer specified launcher and unition.

Thanks to its ease of use and high accuracy, the GR-series effectively shortens the length of training needed to become proficient with the 40mm system, while at the same time providing cost savings as fewer grenades will be needed to complete training.

GR-1000 HK GLM Mount, Tritium

The GR-1000 is our original Grenade Launcher Sight Mount, designed to attach to the side of an HK GLM. Designed to be used with HE low velocity munitions, the GR-1000 has a ballistic bow with range settings from 50 to 350 meters. The rear of the ballistic bow has tritium inserts for 100, 200, and 300 meters.
(GR-1010 Luminova version available).

Designed to be used with low velocity HE munitions, the GR-1003 has a ballistic bow with range settings from 50 to 350 meters. The rear of the ballistic bow has tritium inserts for 100, 200, and 300 meters.

GR-1004 Grenade Launcher Sight Mount

The GR-1004 Grenade Launcher Sight Mount (GLSM) combines our proven design with the ballistics for the M433 HEDP grenade.

GR-1001 Mount for Side Picatinny, Tritium

NSN 1240-22-625-2185 (Tan color)
NSN 1005-22-624-9431 (Tan color w/ Aimpoint T1)
NSN 1240-15-206-0287 (Luminova)

The GR-1001 is designed to attach to be mounted on the side of a Picatinny forend/rail. Designed to be used with low velocity HE munitions, the GR-1001 has a ballistic bow with range settings from 50 to 350 meters. The rear of the ballistic bow has tritium inserts for 100, 200, and 300 meters.
(GR-1011 Luminova version available).

GR-1003 Grenade Launcher Sight Mount

The GR-1003, which is based on the GR-1001, was developed for the Swedish Armed Forces, and is designed to attach to be mounted on the side of a Picatinny rail. The GR-1003 features an updated geometry of the ballistic bow, which allows for the use of larger accessories on the side mounted Picatinny interface.



Export Restrictions

In accordance with Swedish Law (1992:1300) about Military Equipment and Ordinance (1992:1303) about Military Equipment export of the GLSM requires an Export Permit issued by the Inspectorate of Strategic Products (ISP).





BALLISTIC ADJUSTABLE MOUNT - (BAM)

Designed to provide a quick way of compensating for distance when shooting with an Aimpoint CompM4, the SM-101QD Ballistic Adjustable Mount – also known as the BAM – features dual knobs calibrated for various distances from 200 to 1000 meters (depending on model and caliber) and provisions for attaching an Aimpoint 3X or 6X magnifier in an Aimpoint TwistMount or FlipMount ring behind the sight for enhanced accuracy at longer ranges.

As the integrated Aimpoint Twist-/FlipMount base moves parallel with the sight the Aimpoint dot will always be centered in the attached magnifier or NV device.

The BAM allows for faster time onto target as the user does not have to worry about using a hold-over – just ratchet the knob to the estimated distance and aim into the target. This product works equally well both for machineguns and rifles.

The BAM is available in three standard versions; a 600-meter version for both 5.56 and 7.62 NATO, an 800-meter version for 5.56 NATO, and a 1000-meter version for 7.62 NATO. (Other calibrations/distances can be made upon request but will require a minimum order quantity.)

We also offer the possibility of mounting two Red Dot sights so that each sight is zeroed for a separate barrel when used on a machine gun. The gunner just turns on the sight that corresponds to the barrel he is currently using, thus improving his first-shot hit probability without relying on the use of tracers.





DOUBLE SIGHT FOR MULTIPLE PURPOSE

Patented

Based on our work with the SM-101QD Ballistic Adjustable Mount we offer a fixed mount with the possibility of mounting two Red Dot sights so that each sight is zeroed for a separate cartridge.

This is especially useful on carbines chambered for .300 Blackout where the firearm will be used with both sub- and supersonic cartridges and where the Point-of-Impact differs not only in the vertical plane but also in the horizontal plane.

To compensate for the trajectory of the subsonic cartridge in the vertical plane – especially in very short barrels – the Dual Mount has 9 MIL/30 MOA tilt.





ISMS™ - IDEAL SCOPE MOUNT SYSTEM™

Patented

Extremely sturdy scope mounts and separate rings with built-in anti-cant level and multiple interface surfaces for accessories. 45-degree split rings provide unobstructed view of the turrets.

The product line that made us a world-wide name. Our unique design allows for a lightweight and unobtrusive design while being highly durable. The mounts and rings are milled from single billets of 7000-series aluminum and will prevent damage to the scope from flex during heavy recoil or rough handling. The rings are grooved on the inside for a better grip of the scope and to enable gluing of the scope if so desired. To secure the mounts to the weapon we use M5 Torx 20 screws or two adjustable QDP-levers. The mounts and rings come with an indexing tool for quick and easy installation and the mounts are available in a wide range of diameters, heights, and tilts.

Spuhr Interfaces

Our scope mounts have a minimum of seven Spuhr Interfaces™ for accessories, making it possible to attach accessories by direct interfaces to the mount or by using Picatinny rail interfaces. A selection of interfaces for popular accessories, such as laser range finders, angle cosine indicators, red dot sights, and night vision, are available, and others can be made to customer specifications.

One advantage of our interface system is that it allows accessories such as lasers and range finders to be easily attached to the scope mount where they are aligned with the primary optics, providing an undisturbed laser beam while having the weight close to the weapons center of balance. With ISMS™, in a sniper pair, the sniper and the spotter can easily share equipment and accessories if both rifles are fitted with ISMS™ even if they use different optics.

The use of Laser Range Finders

Laser Range Finders like Wilcox, Safran, Vortex, Envision Tek have become important for a user. The superior way of mounting them is direct on the scope mount itself. If you mount them on the forend of the weapon there is a significant risk for a flex in the system that could lead to an unintentional hit.





ISMS™ - IDEAL SCOPE MOUNT SYSTEM™

QDP Series

Originally designed for an USMC bid, the QDP series of mounts offer the ISMS™ with adjustable quick release levers instead of screws. The QDP series offer excellent return to zero and the same functionality and durability as our regular mounts.





SEPARATE RINGS

We also make separate rings for those who prefer them, the main reason would be because they are somewhat lower than our unimounts.

The rings are available in 1" (25.4 mm) and 1.35" (34 mm) heights.

They also feature built-in levels, that is somewhat smaller and not as visible as on the unimounts. The dual vials in the rear ring allow the rings to be mounted for either right or lefthanded shooters.

To allow the use of our "wedge" leveling key an A-0080/81 leveling kit is included with the rings.



Special made "Leveling kit" for Separate rings.
(Also sold separately art.nr: A-0080/81)

ACCESSORIES FOR SCOPE MOUNTS

A-0227 Angled Universal Interface



Picatinny rail A-0037



Various Red Dot interface



Aimpoint A-0025




ACI Non-QD A-0023

Intermediary interface for attaching any of our accessory interfaces or Picatinny rails at a 20-degree angle in relation to the side of an ISMS scope mount, SICS chassis, etc. Can be mounted for left-handed use.

ACCESSORIES

We offer interfaces for attaching a variety of accessories such as angle cosine indicators (ACI), back up Red Dot Sights, lasers, illuminators, night vision mounts, etc. to our scope mounts with a minimal "footprint". With traditional mounts this can only be achieved if there is sufficient space for additional rings on the scope tube, which there rarely is. The Ideal Scope Mount System™ have interface surfaces directly on the mount, making it possible to mount accessories either by Picatinny rails or as direct interfaces. Selections of interfaces for popular accessories are available, and others can be made to customer specifications.



Mounts For Red Dot Sights

Pat. Pend.

The world's toughest Red Dot Sight mount – the preferred choice by the elite teams. Models available in various heights for Aimpoint Micro series, Steiner, SIG Romeo series, Trijicon MRO, and Vortex.

- The Spuhr® RDF-20225K Aimpoint T-2 Magnifier Mount H57mm/2.25" PIC is a rugged mounting solution for using the Aimpoint® Micro® T-2™, CompM5™, and Micro® H-2™ with an Aimpoint® 3XMag™ Magnifier (will also fit the 3X-C™, 3XMAG-1™, and the 6XMAG-1™).
- The RDF-20225K consist of two major components: the RDF-20225 Aimpoint T-2 Flip Mount H57mm/2.25" PIC and the SM-2015 T-2 Magnifier Yoke Assembly.
- The magnifier can be rotated out of the way or – with the push of a button – removed completely when not in use. When used alone, the RDF-20225 mount will allow the use of standard-height iron sights.

Two main series:

RDF with/without magnifier yokes

- RDF-20225K Aimpoint T-2 Magnifier Mount H57mm/2.25" PIC
- RDF-20225 Aimpoint T-2 Flip Mount H57mm/2.25" PIC
- RDF-20291K Aimpoint T-2 Magnifier Mount H74mm/2.91" PIC
- RDF-20291 Aimpoint T-2 Flip Mount H74mm/2.91" PIC

RD without integrated magnifier capability



- RD-20153 Aimpoint T-2 Mount H39mm/1.53" PIC
- RD-20165 Aimpoint T-2 Mount H42mm/1.65" PIC
- RD-20193 Aimpoint T-2 Mount H49mm/1.93" PIC
- RD-20225 Aimpoint T-2 Mount H57mm/2.25" PIC (*interface for Picatinny rail A-0229*)
- RD-20291 Aimpoint T-2 Mount H74mm/2.91" PIC (*interface for Picatinny rail A-0229*)

Accessories


- A-0056 Micro-to-ACRO Interface
- A-0229 Picatinny Rail 75 mm, RD/F
- A-0233 RD/RDF Backup Iron Sight



A-0229



A-0233





SPUHR HUNTING MOUNTS

Based on our ISMS™ series of mounts and rings, we have launched the Hunting Series of mounts, rings, and scope bases with a more traditional aesthetic but still with the same durability, functionality, and attention to detail as our tactical mounts.

Three versions

- Standard Hunting version that has a Spuhr Interface on one ring
- Classic version that doesn't have any interfaces
- Interface version that features Spuhr Interfaces on both rings



Models

We make unimounts for Picatinny rail, Sako TRG & Tika T3/T3X.

During 2020 Q1 we will introduce our separate hunting rings for Picatinny and Weaver Rail.





SICS - Spuhr Ideal Chassis System

Patented

"it's all about eye relief"

We started with **adjustability**, added **modularity** and **stability**. Then we put it all together with our passion for **innovation** and obsession for **quality**.

This is SICS™

With the knowledge and experience gathered from a lifetime of shooting and the last couple of decades of design and production, and after two years of development, we are now launching the Spuhr® Ideal Chassis System™ (SICS™ - pronounced "six").



1. Adjustability

A hard truth about marksmanship is that your equipment is only as good as it fits you. You can have the best of the best – if it doesn't fit your physique or your shooting style, it is not helping you deliver your best performance. On the contrary, it will work against you. We don't know about you, but here at Spuhr® we believe that everybody on your team should work together. This is why we started by addressing the issue of adjustability when we designed the SICS™, so you can get a perfect fit and maximum performance.

Pistol Grip

The SICS™ uses a proprietary pistol grip, designed to comfortably fit a wide range of hand sizes without creating tension during prolonged trigger engagement.

The pistol grip is rubberized for a non-slip grip and can also be adjusted for length-of-pull.

Length-Of-Pull

The stock assembly allows for rapid tool-less length-of-pull (LOP) adjustment by pinching the LOP levers and moving the LOP Bar and Butt Plate Assembly to the desired position.

The total span of rapid LOP adjustment is 50 mm (1.97") but the Butt Plate Assembly can also be fixed with a spacer to further extend the LOP.

The LOP Bar can also be fixed with preset stops for minimum and maximum LOP, making it easy to quickly get into a proper firing stance/position.



Cheek Piece

The rubberized cheek piece can be adjusted for height and for lengthwise position. The height adjustment is easily made, using a wing nut on the side of the cheek piece slide. Lengthwise adjustment of the cheek piece position requires a Torx 20 key.

Butt Plate Height

The Butt Plate Assembly, featuring a Limbsaver® Airtech® recoil pad, allows for rapid tool-less adjustment of the recoil pad height by depressing the Butt Plate Locking Button while sliding the Butt Plate Assembly to the desired position.

The total adjustment span is 30 mm (1.18").



2. Modularity

An extension of adjustability is modularity. Modularity allows you to tailor your SICS™ to your needs, and to build a tool that will work with you and has the possibility to change over time, or for different purposes.

Spuhr® Interface™

The Spuhr Ideal Chassis System™ features one of the hallmarks of the Spuhr Ideal Scope Mount System™: the Spuhr Interface™.

Using a systemic approach, the integration of the Spuhr Interface™ into the SICS™ allows users to fully configure their rifle as needed, being able to move accessories between their scope mount and their chassis, enabling the perfect setup for any intended use.

The Spuhr Interface™ consists of a female and a male interface surface, featuring circular grooves and ridges, mating around an M4 screw. This interface design does not have any sharp edges and has the best repeatability on the market.

Forend

The SICS™ 16" standard forend features an integrated Arca Swiss® rail for use of various commonly available bipod and tripod solutions. The SICS™ can also be fixed with different length forends depending on user requirements.

With all SICS™ forends, a short Picatinny Gen2 rail is included so that a bipod or other 3rd party accessories can be attached to the chassis.

Bag Riders

The Folding Stock Assembly includes a fixed height exchangeable bag rider (right on the picture), which features Spuhr Interfaces™ on the bottom surface, for attachment of butt spikes, and other accessories.



3. Stability

The third key feature of SICS™ is stability. We could have called this precision, but the chassis is not about precision per se, that is the job of the barrel and action.

Our chassis provides extreme stability and stiffness as the foundation for a superiorly accurate rifle system is a rigid platform for the barreled action.

Chassis Body

The SICS™ is based around a rigid chassis body machined from a single billet of 7000 series aircraft aluminum with an extended tenon to support the forend. The exterior sides of the magwell area of the chassis body feature Spuhr Interfaces™ for easy attachment of accessories.

Forend

The Modular Forend, attach to the chassis body with nine M6 fasteners, is machined from a single piece of aircraft aluminum in a tubular design to increase rigidity and stability.

Folding Stock Assembly

The Folding Stock Assembly features an adjustable locking mechanism to ensure a rock-solid lockup.





LIGHTWEIGHT FLEXIBLE NVG MOUNT



This innovative product allows the user to change from having one to two monoculars mounted, and back again, as the need arises.

The mount is very stable and quiet, with no rattling or shaking parts.

The mount is very flexible with multiple adjustments and settings, and can be adjusted for tilt, eye width and/or eye-relief within seconds.

For the user who likes to use his right-eye monocular mounted on his firearm, the monocular can be securely moved from the head to the gun or back again within seconds.

The Head Mount/Helmet Mount has a quick interface with adjustment memory, giving the user the possibility to quickly transfer the whole system with goggles from his helmet to his head (or back) if the situation warrants it.

Some operators prefer to parachute without goggles mounted, opting to mount them only after releasing the parachute, as to prevent the goggles from getting tangled in the risers.

With the Light-weight Flexible NVG Mount the operator can keep a clean helmet during descent and within seconds of releasing the parachute have the goggles securely mounted without any need to readjust any settings!

Strap system


The strap system for the Head Mount is developed by the company Snigel Design and is probably the best designed strap system on the market, providing the highest comfort for the greatest variety of head shapes possible.

The Head Mount stays in place without any strain or excessive pressure, preventing the commonly experienced headaches and neck pains associated with extended wearing of head-mounted NVG's.

Goggle fit

The Light-weight Flexible NVG Mount is ideally used with Insight MUM-14 types or Vectronix systems, but other monoculars such as the ITT PVS-14, Qioptiqs and the Theon can easily be mounted as well.





PROUDLY PRODUCED IN SWEDEN

Member of

COLT
CZGROUP



Phone: +46 46 712 012 · www.spuhr.com · Sweden